



LAB 2

EVENTS

Default.aspx.vb

```
Public Class _Default
    Inherits System.Web.UI.Page

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
        Handles Me.Load

        Response.Write("Page Load event has occurred. </br> </br>")

    End Sub

    Private Sub WebForm1_Init(sender As Object, e As EventArgs) Handles Me.Init

        Response.Write("Page Initialization event has occurred. </br> </br>")

    End Sub

    Private Sub WebForm1_PreRender(sender As Object, e As EventArgs) Handles
        Me.PreRender

        Response.Write("Page Render event has occurred.")

    End Sub

    Private Sub WebForm1_Unload(sender As Object, e As EventArgs) Handles Me.Unload

        ' Response.Write("Page Unload event has occurred")

    End Sub

End Class
```

Default.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb"
Inherits="_Default" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
</head>
<body>
    <form id="form1" runat="server">
        <div>
            </div>
        </form>
    </body>
</html>
```